### **PATENT COOPERATION TREATY**

## **PCT**

REC'D	29	MAR	2006
MIRO	, 		PCT

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 80449 WO FOR FURTHER A		CTION	See Form PCT/IPEA/416						
International application No. International filing date PCT/EP2004/001870 25.02.2004			International filing date 25.02.2004	day/month/year)	Priority date (day/month/year) 08.12.2003				
		• •	ational classification and If	PC					
INV. C	:01G39/00 C0 <sup>-</sup>	1G41 <i>l</i> 00 C01G1	1/00						
Applica									
Applicant JOZEF STEFAN INSTITUTE									
	This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.								
2. T	This REPORT consists of a total of 5 sheets, including this cover sheet.								
3. T	This report is also accompanied by ANNEXES, comprising:								
а	. 🛛 sent to the	e applicant and to	o the International Bure	au) a total of 5 sheets	, as follows:				
	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that go beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the								
Supplemental Box.  b.   (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), conta sequence listing and/or tables related thereto, in celectronic form only, as indicated in the Supplemental Bo									
	Relating t	o Sequence Listi	ng (see Section 802 of	the Administrative Instr	ructions).				
			,						
4. T	his report conta	ins indications re	lating to the following it	ems:					
Þ	Box No. I	Basis of the rep	ort						
	=	Priority							
_	Box No. III	•	ent of opinion with rega	rd to novelty, inventive	step and industrial applicability				
	Box No. IV	Lack of unity of		•					
×	Box No. V		ment under Article 35(2 ations and explanations		/, inventive step or industrial ment				
	Box No. VI	Certain docume	ents cited						
	Box No. VII	Certain defects	in the international app	ication					
	Box No. VIII	Certain observa	tions on the internation	al application					
Date of submission of the demand  Date of completion of this report									
Date Of	submission of the	Gernana		bate of completion of the	io roport				
13.06.2005				28.03.2006					
Name and mailing address of the international			al	Authorized officer	Pate				
preliminary examining authority:					undruma Palantent.				
European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas			as	Siebel, E	· in and in the state of the st				
Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016			651 epo nl	Telephone No. +31 70 3	340-1016				
				. Siophono No. To 170 c	* Ollice on/co				

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/001870

	Bo	x No. I Basi	of the report		
1.	<ol> <li>With regard to the language, this report is based on the international application in the language in will filed, unless otherwise indicated under this item.</li> </ol>				
		which is the l ☐ internation ☐ publication	anguage of a tr nal search (und n of the interna	slations from the original language into the following language, ranslation furnished for the purposes of: ler Rules 12.3 and 23.1(b)) tional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)	
2. With regard to the elements* of the international application, this report is based on (replacement shave been furnished to the receiving Office in response to an invitation under Article 14 are referred report as "originally filed" and are not annexed to this report):					
	Des	scription, Page	6		
	1-22	1-22		as originally filed	
	Clai	ims, Numbers			
	1-31	1		received on 23.11.2004 with letter of 23.11.2004	
	Dra	wings, Sheets			
	1-12	2		as originally filed	
		a sequence l	sting and/or an	y related table(s) - see Supplemental Box Relating to Sequence Listing	
3.	<ul> <li>☐ The amendments have resulted in the cancellation of:</li> <li>☐ the description, pages</li> <li>☐ the claims, Nos.</li> <li>☐ the drawings, sheets/figs</li> <li>☐ the sequence listing (specify):</li> <li>☐ any table(s) related to sequence listing (specify):</li> </ul>				
4.	☐ This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).  ☐ the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify):				
	*	If item 4	applies, so	me or all of these sheets may be marked "superseded."	

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/001870

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-33

No: Claims

Inventive step (IS) Yes: Claims 1-33

No: Claims

Industrial applicability (IA) Yes: Claims 1-33

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

#### Re Item V.

- 1 The following documents are referred to in this communication:
  - D1: DATABASE CHEMABS CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; AN 99:46283 CA 12 May 1984 (1984-05-12), C. PERRIN, M. SERGENT, J.C. PILET, F. LE TRAON, A. LE TRAON: "Structure-property relations in new Mo(III) and Mo(II) chalcohalogenides with Mo4 and Mo6 clusters" XP002283920
  - D2: DATABASE CHEMICAL ABSTRACTS CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; AN 98:170737 12 May 1984 (1984-05-12), C. PERRIN, M. POTEL, M. SERGENT: "Molybdenum bromide sulfide (Mo6Br6S3): a new two-dimensional compound with octahedral Mo6-Clusters" XP002283921
  - D3: M. REMSKAR, . MRZEL, R. SANJINES, H. COHEN, F. LÉVY: "Metallic Sub-Nanometer MoS(2-x)I(y) Nanotubes" ADVANCED MATERIAL, vol. 15, no. 3, 2003, pages 237-240, XP002283919

#### **NOVELTY:**

1. The document D1 discloses the compound  $Mo_6S_3Br_6$  (x+y=9), the structure comprising  $Mo_6$ -Clusters and  $[Mo_6S_4Br_4]$ -units. However, as D2 shows, the structure of  $Mo_6S_3Br_6$  is a layered (i.e. two dimensional) one build up by  $[Mo_6L_8]$ -Units.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

#### **INVENTIVE STEP:**

- 2.1. The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses the compound  $Mo_6S_3Br_6$  (x+y=9), which, as it is proven by D2, has a layered structure, from which the subject-matter of claim 1 differs in that the compounds are grown in form of nanowires, nanoropes, nanorods, whiskers or needles.
- 2.2. The problem to be solved by the present invention can be considered as to provide compounds of the formula  $Mo_6S_vI_z$ , 8.2<y+z<10 for use in nano-electrochemical

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/001870

devices or sensors.

- 2.3. The solution proposed in claim 1 of the present application can be considered as involving an inventive step (Art. 33(3) PCT) for the following reasons:
- 2.4. D1 teaches, that a composition Mo<sub>6</sub>S<sub>y</sub>I<sub>z</sub>, (x+y=10 or 12) cristallizes in form of extremely fragile needles, which due to their fragility would not be suitable for use in nano-electrochemical devices or sensors, even if they would have the necessary electrochemical properties. Document D3 discloses a Mo<sub>6</sub>S<sub>2-y</sub>I<sub>z</sub> with a nanotube structure, however, the stoechiometry is different to the one claimed in the present application.
  - Therefore it appears, that the cited prior art does not give a hint or an advice of providing a compound  $Mo_6S_yI_z$ , 8.2<y+z<10 with a nanowire or nanotube structure suitable for use in a nano-electrochemical devices and sensors.
- 3. Claims 2-33 are dependent on or refer to claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

#### Claims

1. A material of the general formula  $M_6C_yH_z$ , wherein Midesignates a transition-metal, C designates a chalcogen, H designates a halogen, and wherein y and z may be of from 0 to 10 such that 8.2 < y + z < 10, grown in the form of nanowires, nano-ropes, nanorods, whiskers or needles and obtainable by a process comprising the steps of mixing the constituent elements in the desired mass ratio, placing them in an appropriate container, evacuating the container and heating it to a temperature above 1000 °C for a predetermined length of time.

10

5

- 2. The material according to claim 1, wherein M is a transition metal selected from the group consisting of Mo, W, V, Ti, Ta, Nb, Zn, Hf, Re and Ru.
- 3. The material according to claim 1 or 2, wherein M represents a mixture of two or more transition metals

claim 1

- 2.4. The material according to breeding claims, wherein C = S, Se, Te.
- 3.8. The material according to preceding claims, wherein C represents a mixture of two or more chalcogens.
  - 4 \$\mathcal{B}\$. The material according any of the preceding claims, wherein the halogen H= I, Br, Cl or F.
- 25 § 7. The material according to preceding claims, wherein H represents a mixture of two or more halogens.
- 68. The material according to any of the preceding claims, wherein 0 < y < 10, 0 < z < 10 and  $8.2 \le y + z < 10$ .

- 7.9. The material according to any of the preceding claims, wherein H may be replaced by an ion elected from the group consisting of elements in the groups III-VIII.
- The material according to any of the preceding claims, additionally containing intercalated or interstitial ions, atoms or molecules, selected from the group consisting of alkali metals, alkaline-earth metals, transition metals, elements belonging to groups III-VIII and any organic donors or acceptors.
- 9.11. The material according to any of the preceding claims exhibiting a substantially circular cross-section.
  - 1012. The material according to any of the preceding claims, which is superconducting.
  - The material according to any of the preceding claims, which is metallic or semiconducting.
  - A method for the production of a material according to any of the claims 1 to 11, which comprises the steps of (i) mixing of the individual constituent elements, (ii) heating in a sealed container under reduced pressure, (iii) heating above a temperature of 1000 C or more for any duration of time.
    - The method according to claim  $\mathcal{H}$ , wherein the elements themselves are replaced by compounds of those elements such as MoS<sub>2</sub> for example.
  - 25/416. Use of a material according to any of the preceding claims in electronic, chemical, optical or mechanical applications.
    - 15 17. The use of a material according to any of the claims 1 to 23 as a catalyst in dry form or in suspension or as a catalytic component.
  - 16 18. The use according to claim 16, wherein said use of said material is selected from the

10

20

25

group consisting of a use in a field-emission device, in a superconducting application, in a proximity-coupled network, in a quantum interference network, in devices incorporating said material in 2-, 3-, 4- or multi-terminal configuration, and a use for enhancing electrical, optical, magnetic, mechanical and tribological properties of polymers and glasses by incorporating said material in said polymers and glasses.

The use according to claim 16, said material being used as a lubricating agent, optionally in combination with one or more further compounds, in particular oils.

A method of varying the material characteristics of a material according to any of the claims 1 to 25, said method comprising the steps of selecting composition parameters y and z, and/or incorporating dopants or substituents in said material.

15 21. An electric device comprising

at least one material or material bundle arranged on a substrate, said material being a material according to any of the claims 1 to 13; and

at least one contact arranged on said substrate and passing over said at least one material or material bundle, said at least one contact being connected with or connectable to circuitry of the device.

2022. The device of claim 21, said device detecting physical or chemical influences acting on said at least one material or material bundle and/or said at least one contact.

The 'device of claim 22, said device being adapted to detect physical or chemical influences selected from the group consisting of influences due to molecules attaching to and/or coming into contact with said at least one material or material bundle or said contact(s), light of different wavelengths, and mechanical influences.

22
30
24. A method of arranging a material according to any of the claims 1 to 25 in a electric device, said method comprising the steps of

arranging at least one material or material bundle on a substrate; providing said at least one material or material bundle with one or more contacts, at least one of said one or more contacts being in connection with or connectable to circuitry of said electric device.

23

5

An array comprising

at least one material or material bundle, said material being a material according to any of the claims 1 to 13, said at least one material or material bundle being provided on a substrate, the length axis of said at least one material or material bundle extending essentially non-parallel to said substrate, said at least one material or material bundle being provided with a molecule on the end

distant from said substrate.

24

The array of claim 25, wherein said at least one material or material bundle is attached to said substrate or attached to a template arranged on said substrate.

25

27. The array of claim 25, wherein said molecule is attached via a particle, preferably via a gold particle, to said at least one material or material bundle.

20 2

15

Use of an array according to any of the claims 25 to 27 for detecting a binding of a molecule to said molecule provided on said at least one material or material bundle.

27 29

A method of arranging an array, said method comprising providing at least one material or material bundle, said material being a material according to any of the claims 1 to 23.

arranging said at least one material or material bundle on a substrate or on a template on a substrate, the length axis of said material or material bundle extending essentially non-parallel to the surface of said substrate and/or said template on said substrate, and attaching a molecule to the end of said at least one material or material bundle remote from said substrate.

30

25

10

31

27

28
20. Use of a material according to any of the claims 1 to 13 for electric applications, said material being connected to or integrated in electric circuitry.

29
27. Material according to any of the claims 1 to 13, said material being a nanowire, nanorope, nanorod, whisker or needle provided on one end thereof with a molecule.

30
32. Material according to claim 31, said material being a sensor.

23. Composition comprising a material according to any of the claims 1 to 15 and one or more materials selected from the group consisting of superconducting compound, lubricating compound, oil, polymer, glass, and gaseous compound.